

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	103	request\$4 near10 buffer\$4 and record near3 definition\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:20
L2	92	request\$4 near10 buffer\$4 and record near3 definition\$1 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:21
L3	25	request\$4 near10 buffer\$4 and record adj definition\$1 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:32
L4	429	request\$4 near10 buffer\$4 near10 large\$2 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:32
L5	620	request\$4 with buffer\$4 with large\$2 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:32
L6	26	request\$4 near10 buffer\$4 near10 large\$2 near10 sufficient\$4 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:34
L7	70	request\$4 near10 buffer\$4 near10 large\$2 near10 (contain\$4 store stores) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:38
L8	21	request\$4 near10 buffer\$4 near10 able near10 (contain\$4 store stores) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:42
L9	1	dynamic\$4 near10 size near10 buffer\$4 near10 reallocat\$4 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:43

L10	381	dynamic\$4 near10 size near10 buffer\$4 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:43
L11	26	reallocat\$4 near10 (size sized) near10 buffer\$4 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:48
L12	15	"5640604"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:07
L13	82	709/204-206,227-230.ccls. and 711/100-154.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:08
L14	0	709/204-206,227-230.ccls. and 711/100-154.ccls. and 710/5257. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:08
L15	7	709/204-206,227-230.ccls. and 711/100-154.ccls. and 710/52-57. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 13:08
S1	5	allocat\$4 near10 buffer\$4 near10 receiv\$4 near10 data near10 socket\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 09:04
S2	1302	allocat\$4 near10 buffer\$4 near10 (socket\$4 port\$4) and 2ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 09:04
S3	997	allocat\$4 near10 buffer\$4 near10 (socket\$4 port\$4) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 09:05
S4	6	allocat\$4 near10 buffer\$4 near10 (socket\$4 port\$4) and @ad<"20011121" and 709/204-206.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 09:07

S5	3491	allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 09:12
S6	328	allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) near10 receiv\$4 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 09:25
S7	5	allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) near10 receiv\$4 near10 stream\$4 and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 09:22
S8	0	stor\$4 near10 data near10 receiv\$4 near10 socket\$4 same allocat\$4 near10 (buffer\$4 memory cache) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 09:23
S9	7	stor\$4 near10 data near10 receiv\$4 near10 socket\$4 and allocat\$4 near10 (buffer\$4 memory cache) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 09:23
S10	170	allocat\$4 near10 (memory buffer\$4) near10 (socket\$4 port\$4) near10 receiv\$4 near10 (data packet\$1) and @ad<"20011121"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:43
S11	166	request\$4 near10 buffer\$4 near10 format\$4 near10 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:44
S12	28	request\$4 near10 buffer\$4 near10 format\$4 near10 data and "711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:44
S13	24	request\$4 near10 buffer\$4 near10 format\$4 near10 data and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:48
S14	3	request\$4 near10 buffer\$4 near10 format\$4 near10 packet\$4 and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 10:49

S15	12	request\$4 near10 buffer\$4 near10 format\$4 near10 packet\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/25 12:18
-----	----	--	---	----	-----	------------------